



## The drug situation in Europa Epidemiology and specific responses

Ilonka Horvath (Gesundheit Österreich GmbH) Sandrine Sleiman (EMCDDA)

ELISAN-Conference 24 September 2019, Villach/ Austria

## **EMCDDA**

## European Monitoring Centre on Drugs and Drug Addiction



#### EUROPEAN DRUG REPORT PACKAGE 2019

Interlinked elements allowing access to available data and analysis on the drugs problem in Europe and at national level





## Reitox network

NFPs in 28 EU Member States, Norway and Turkey

Unique data collection system









Adults (15-64)

7.4 %

24.7 million Lifetime use 91.2 million

27.4 %



Young adults (15-34)

Last year use 17.5 million 14.4 %

National estimates of use in last year

Lowest Highest 21.8 %

#### Cocaine



Adults (15-64)

Last year use 3.9 million



Lifetime use 18 million



Young adults (15-34)

Last year use 2.6 million



National estimates of use in last year



Lowest 0.2 %

**MDMA** 



Adults (15-64)

Last year use 2.6 million

0.8 %

Young adults (15-34)

Last year use 2.1 million

13.7 million

Highest

7.1 %

4.1 %



National estimates of use in last year

0.2 %

Adults (15-64)

Last year use 1.7 million 0.5 %

**Amphetamines** 



Lifetime use 12.4 million



Young adults (15-34)

Last year use 1.2 million



National estimates of use in last year



Lowest Highest 3.9 %

**Opioids** 

High-risk opioid users 1.3 million

654 000 opioid users received substitution treatment in 2017

Drug treatment requests

Principal drug in about 35 % of all drug treatment requests in the European Union









## Cocaine

### Number of powder cocaine seizures and quantity seized: trends and 2017 or most recent year






#### Tonnes



#### Indexed trends

#### **Price and purity**



#### Trends in first-time entrants









# Cannabis: increases in potency and treatment entrants

- 1 % of adults are daily users
- 18 % of 15–24 year olds used cannabis in the last year
- The average potency of cannabis has been increasing



2017




 Cannabis is the drug most often reported as the main reason for entering treatment for new entrants to specialised treatment services

2007



## NPS: diversity of substances in a complex market

- 55 substances were detected for the first time in 2018
- 390 of the 730 substances monitored by the EWS were detected in 2017
- Seizures of NPS are dominated by synthetic cannabinoids and cathinones
- Synthetic opioids now playing a bigger role: 49 new synthetic opioids monitored by the EWS, fentanyl derivatives are now the majority
- Synthetic opioids targeted at people with problematic drug use patterns





Arvlcvclohexvlamines

## Heroin: indications of market changes

- 5.4 tonnes of heroin seized,
   81 tonnes of the heroin precursor chemical acetic anhydride
- Laboratories detected in the EU producing heroin from morphine using this precursor
- Heroin purity remains high and retail price relatively low

#### Number of heroin seizures and quantity seized: trends and 2017 or most recent year







## Drug related health problems

#### CHAPTER 2 **Problems arising from** particular types or patterns of drug use

particular patterns of drug use and the specific substances

problems associated with cannabis use; that are of concern in many EU countries. In each case an overview of the most important aspects of the problem is provided along with a review of the interventions that might be appropriate to respond to them. This is accompanied by a short summary of the evidence available on effectiveness, a review of the responses that are currently in use across Europe and consideration of some of the related implications for policy and practice. Links are also provided to more detailed information on the 

\* misuse of medicines;

This chapter considers problems from the perspective of The drug problems covered in this chapter are:

- opioid dependence;
- opioid-related deaths:
- viral hepatitis. HIV and other infections associated with injecting use;
- problems associated with stimulant use;
- new psychoactive substances;

- Substance used
- Purity and content
- Route of administration
- Individual vulnerability
- Chronic problems and acute harm
- Social consequences






European Manitoring Caretre for Drugs and Drug Addiction



## HCV: enhancing access to prevention, testing and treatment

- HCV antibody prevalence rates in 8 of the 14 countries with national data are in excess of 50 %
- Barriers to testing and uptake of treatment
- Low-threshold services are an important access point to testing

Coverage of specialised syringe programmes: number of syringes provided per estimated person who injects drugs






### Fatal overdoses: opioids present in majority of deaths


## 9 461 deaths in 2017 (EU, Turkey and Norway)

#### Trends in overdose deaths




## From 2012–17 overdose deaths increased in older groups

Number of drug-induced deaths reported in the European Union in 2012 and 2017, or most recent year, by age band





## Responses to drug problems





#### **Prevention**

- **Environmental to indicated prevention**
- **Target groups**
- **Settings/ contexts**

#### **Best practice** Policy and practice briefings Implementation tools (Xchange, HNT, EDDRA, EIB) Xchange prevention registry Evidence database Standards and guidelines



Health and social responses to drug problems: a European

#### **Xchange prevention registry**

#### About the Xchange prevention registry

Xchange is an online registry of evidence-based pre programmes. It is currently in pilot phase. Use the options below to find prevention programmes. Read mo Xchange here

Search for programmes	385	
	by age group	by setti
Enter search terms Q	All	All

Programme title □	Date added	Countries where evaluated	Xchange rating
Coping Power/Utrecht Coping Power - an indicated programme for children with disruptive behaviour	18.10.2017	Italy, Netherlands, USA	Beneficial
EFFEKT/Örebro/PAS - To increase parents' attitudes, norm-setting and monitoring about alcohol	17.10.2017	Netherlands, Sweden	Beneficial
Unplugged - a Comprehensive Social Influence programme for schools: life skills training with correction of normative beliefs	18.10.2017	Austria, Belgium, Czech Republic, Germany, Greece, Italy, Spain, Sweden	Beneficial
School Health and Alcohol Harm Reduction Project (SHAHRP) - life skills training to reduce alcohol use and harms	18.10.2017	United Kingdom	Beneficial
Good Behaviour Game - group-contingent positive reinforcement of children's prosocial behaviour	18.10.2017	Belgium, Netherlands, USA	Likely to be beneficial
Sobre Canyes i Petes - skills training for preventing regular cannabis use, with a family component	18.10.2017	Spain	Likely to be beneficial
Be Smart — Don't Start - a competition of school classes to remain smoke free for six months	18.10.2017	Finland, Germany, Netherlands, Switzerland	Likely to be partially beneficial
Multisystemic Therapy (MST) - intensive family- and community-based intervention for antisocial behaviour in juvenile offenders	18.10.2017	Canada, Netherlands, Norway, Sweden, United Kingdom, USA	Likely to be partially beneficial
European Smoking Prevention Framework Approach (ESFA / PASE.bcn) - addressing young people, parents, school environment and out-of-school situations	18.10.2017	Denmark, Finland, Netherlands, Portugal, Spain, United Kingdom	Likely to be partially beneficial
Strengthening Families 10-14 - family protection and resilience-building processes for adolescents and their parents	18.10.2017	Germany, Poland, Sweden, United Kingdom, USA	Evidence of ineffectiveness

List of programmes



#### **Treatment**

## **Approaches:**

- Pharmacological interventions (OST)
- Behavioural and psychosocial interventions
- Residential rehabilitation
- Self-help and mutual aid groups
- Recovery/reintegration support services

# Reitox Map of Addiction Care in Europe:

www.reitox.eu






### Harm reduction

• Reducing the spread of HIV and viral hepatitis: Needle and syringe provision, testing, vaccination, HCV-treatment, OST

- Reducing opioid-related deaths:
   Take-home naloxone
   programmes, OST,
   drug consumption rooms,
   heroin assisted treatment
- Responding to drug problems in nightlife settings: on-site drug-checking services
- Responding to NPS: EWS




www.emcdda.europa.eu/publications/topic-overviews/take-home-naloxone\_en



### M-health: new tools for responding to drug problems

Spectrum of m-health apps based on their primary objectives



- Digital prevention and treatment interventions are being delivered via m-health apps
- Multiple functions provided (e.g. geo-location to find needle and syringe exchanges)
- Challenges: evaluation, quality standards and data protection





## emcdda.europa.eu/edr2019

#EDR2019

#HealthierEurope #MoreSecureEurope

Video: <a href="http://www.emcdda.europa.eu/media-">http://www.emcdda.europa.eu/media-</a>

library/european-drug-report-2019-highlights\_en

#### emcdda.europa.eu

- witter.com/emcdda
- f facebook.com/emcdda
- youtube.com/emcddatube
- flickr.com/photos/emcdda